

Annex 1: List of the indicators available for use as local measures

1 - Cancer - Cancer - Breast cancer screening in last 36 months
2 - Cancer - Cancer - Receiving first definitive treatment within two months of urgent referral from GP
3 - Cancer - Cancer - Successful quitters at 4-weeks
4 - Cancer - % of breast cancers detected at an early stage (1 or 2)
5 - Cancer - % of people aged 60 - 69 who were screened for bowel cancer in the previous thirty months
6 - Cancer - % of colorectal cancers detected at an early stage (1 or 2)
7 - Cancer - % of lung cancers detected at an early stage (1 or 2)
8 - Circulation - Circulation - Reported prevalence of CHD on GP registers as % of estimated prevalence
9 - Circulation - Circulation - Reported prevalence of hypertension on GP registers as % of estimated prevalence
10 - Circulation - Circulation - Transient ischaemic attack (TIA) cases with a higher risk who are treated within 24 hours
11 - Circulation - Emergency readmissions to hospital within 28 days for patients: stroke (%)
12 - Circulation - % of patients returning to usual place of residence following hospital treatment for stroke
13 - Endocrine - Additional risk of complication for myocardial infarction among people with diabetes (%)
14 - Endocrine - Additional risk of complication for heart failure among people with diabetes (%)
15 - Endocrine - Additional risk of complication for stroke among people with diabetes (%)
16 - Gastro-intestinal - Gastro-intestinal - Emergency admissions for alcohol related liver disease
17 - Genito-Urinary - Reported to estimated prevalence of CKD (%)
18 - Genito-Urinary - % of people receiving dialysis undertaking dialysis at home
19 - Genito-Urinary - % of patients on Renal Replacement Therapy who have a kidney transplant
20 - Maternity - Maternity - Live births <2500 grams
21 - Maternity - Maternity - Teenage conceptions (aged under 18)
22 - Maternity - % of pregnant women vaccinated for flu
23 - Maternity - Number of women known to be smokers at time of delivery per 100 maternities
24 - Maternity - % of mothers who give their babies breast milk in the first 48 hours after delivery
25 - Maternity - % of infants that are totally or partially breastfed at age 6-8 weeks
26 - Maternity - Rate of emergency admissions for gastroenteritis in infants aged <1 year per 10,000 population aged <1 year
27 - Maternity - Rate of emergency admissions for respiratory tract infections in infants aged <1 year per 10,000 population aged <1 year
28 - Maternity - Children who received 3 doses of DTaP/IPV/Hib vaccine at any time by their second birthday as a % of children reaching age 2 years within the period
29 - Maternity - Rate of hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years per 10,000 population aged <5 years

30 - Maternity - % of children aged 4-5 years classified as overweight or obese
31 - Maternity - Children who received 2 doses of MMR vaccine at any time between their first and fifth birthdays as a % of children reaching age 5 years within the period
32 - Maternity - The mean number of teeth per child aged 5 years sampled which were either actively decayed or had been filled or extracted (due to decay)
33 - Mental Health - Mental Health - Emergency hospital admissions for self harm
34 - Mental Health - Mental Health - Improving access to psychological therapies - recovered patients
35 - Mental Health - Mental Health - People with mental illness and or disability in settled accommodation
36 - Mental Health - Mental Health - Reported numbers of dementia on GP registers as a % of estimated prevalence
37 - Mental Health - Access to IAPT services: People entering IAPT services as a % of those estimated to have anxiety/depression
38 - Mental Health - Waiting < 28 days for IAPT: % of referrals (in quarter) waiting <28 days for first treatment
39 - Mental Health - Completion of IAPT treatment: Rate completing treatment per 100,000 population aged 18+
40 - Mental Health - % of IAPT patients receiving a course of treatment
41 - Mental Health - % of IAPT patients given a provisional diagnosis
42 - Mental Health - % of IAPT referrals with treatment outcome measured
43 - Mental Health - % of people who are "moving to recovery" of those who have completed IAPT treatment
44 - Mental Health - IAPT reliable recovery: % of people who have completed IAPT treatment who achieved "reliable improvement"
45 - Mental Health - Physical health checks for patients with Serious Mental Illness: summary score (average of the 6 physical health check indicators)
46 - Mental Health - The number of people on Care Programme Approach per 100,000 population aged 18+
47 - Mental Health - Mental health admissions to hospital: Rate per 100,000 population aged 18+
48 - Mental Health - The number of people subject to the Mental Health Act per 100,000 population aged 18+
49 - Mental Health - % of people aged 18-69 on Care Program Approach in employment
50 - MSK - Emergency readmissions to hospital within 28 days for patients: hip replacements (%)
51 - Neurology - Neurological - Emergency admission rate for children with epilepsy aged 0–17 years
52 - Respiratory - Respiratory - Emergency COPD admissions relative to patients on disease register
53 - Respiratory - Respiratory - Reported prevalence of COPD on GP registers as % of estimated prevalence
54 - Respiratory - Emergency admission rate for children with asthma per 100,000 population aged 0–18 years
55 - Trauma and injury - Injuries due to falls per 100,000 population ages 65+
56 - Trauma and injury - Hospital admissions caused by unintentional and deliberate injury for those aged 0-24 per 10,000 population
57 - Trauma and injury - % of patients returning to usual place of residence following hospital treatment for fractured femur
58 - Trauma and injury - Emergency readmissions to hospital within 28 days for patients: hip fractures
59 - Cross-cutting - % of respondents aged 16 and over, with valid responses to the questions, doing less than the required level of activity to count as physically active.

60 - Cross-cutting - % of people aged 18 and over who are self-reported occasional or regular smokers.
61 - Cross-cutting - Rate of admissions involving an alcohol-related primary diagnosis or an alcohol-related external cause per 100,000 total population
62 - Cross-cutting - % of the eligible population, aged 40 – 74 years, who have received an NHS Health Check since 1st April 2013
63 - Cross-cutting - % of patients aged 17+ with diabetes, as recorded on practice disease registers
64 - Cross-cutting - % of patients 18+ with depression, as recorded on practice disease registers
65 - Cross-cutting - % of people aged 18 and over self-reporting experiencing three or more long-term conditions
66 - Cross-cutting - % of people aged 18 and over with a long-term condition who report having a written care plan
67 - Cross-cutting - % of people aged 18 and over with a long-term condition who report using their written care plan to manage their day to day health.
68 - Cross-cutting - % of patients diagnosed with dementia whose care has been reviewed in a face-to-face review in the preceding 12 months
69 - Cross-cutting - % of patients aged 65 years and over using any inpatient services where dementia was mentioned in discharge code
70 - Cross-cutting - Emergency admissions to hospital of people with dementia per 1,000 population aged 65+
71 - Cross-cutting - % of emergency admissions of people aged 65 and over with dementia (mentioned in discharge notes) where the length of stay was of 1 night or less
72 - Cross-cutting - % of people aged 18 and over with a long-term condition who report that they had enough support from local services to help manage their condition(s)
73 - Cross-cutting - Health related quality of life people with long term conditions: average score
74 - Cross-cutting - Difference in the employment rate between those with a long-term health condition and all those of working age
75 - Cross-cutting - Delayed transfers of care from hospital per 100,000 population aged 18+
76 - Cross-cutting - % of older people (aged 65 and over) who received reablement/rehabilitation services after discharge from hospital
77 - Cross-cutting - % of older people (aged 65 and over) who were still at home 91 days after discharge from hospital into reablement/rehabilitation services
78 - Cross-cutting - Permanent admissions of older people (aged 65 and over) to residential and nursing care homes per 100,000 population aged 65+
79 - Cross-cutting - Emergency admissions for chronic ambulatory care sensitive conditions for people of all ages per 100,000 total population
80 - Cross-cutting - Emergency admissions to hospital for people aged 75 years and over with length of stay under 24 hours per 100,000 population aged <75